

ELECT
ELVICTA
ELECTELOY

TOOLS OF QUALITY

PLIERS • NIPPERS • PINCERS



ELLIOTT-LUCAS LTD.

CHURCHBRIDGE WORKS, CANNOCK, ENGLAND.

INTRODUCTION

While the descriptions, pattern numbers and sizes illustrated in Catalogue EL/553 remain substantially correct, the "A" quality engineers' and linemen's pliers—ranges 216 and 54 and insulated equivalents—have been withdrawn, together with the E426, E436 and E446 Gland Nut Pliers. Our standard finishes are as details below.

List Prices are subject to a Trade Discount.

QUALITY AND FINISH

- "PW" ULTRA TENSILE, i.e., SUPERFINE QUALITY GUARANTEED TOOLS are ELECTRONIC INDUCTION HEAT TREATED combining EXCEPTIONAL CUTTING EFFICIENCY and DURABILITY.
- "A" HIGH TENSILE, i.e., Standard "Elect" QUALITY TOOLS are also GUARANTEED.
- FINISHES. "CRYSTAL BLACK" is a stoved crystalline finish on the handles.
 "BLUED" is a chemical finish on the handles and clear stove-enamelled to protect against rust.
 "ALL BRIGHT" tools are clear stove-enamelled to protect against rust.
 "OIL BLACK" is still retained as standard for those patterns where listed and is available as an alternative to Blued or Crystal Black, on special request only.
- SUFFIXES. The following figures, added to the pattern numbers, indicate:
- ...0 Translucent Knurled Amber Insulated Handles (Tested to 10,000 volts).
 - ...3 Black Knurled Insulated Handles (Tested to 10,000 volts).
 - ...4 All Bright finish.
 - ...6 Chrome Plated.
 - ...8 Blued Lacquered finish.
 - ...9 Heavy Red non-slip P.V.C. Sheath Insulated Handles (Tested to 10,000 volts).

EXPORT SALES AND REGISTERED OFFICE

All Export enquiries are to be addressed to the Registered Office :
 19 Frederick Street,
 Birmingham, 1,

stating for which MARKET the goods are required.

Export Terms are :

Goods of £20 minimum value are delivered Free English Port.
 Cases are charged extra at cost.

HOME TRADE SALES OFFICE

All Home Trade enquiries are to be addressed to :

206-212 St. John Street,
 Clerkenwell, London, E.C.1.

Terms :

Carriage free on consignments £20 minimum value.
 Packing and cases are free except when returnable cases are used.
 2½% cash discount is allowed for payment on the 10th of the month following date of invoice.

STANDARD PACKING

All pliers, nippers and pincers are greaseproof wrapped to protect against rust. In addition, the more popular lines are individually boxed. These include the PW216 and 54 ranges, the A and PW58 and 106 ; PW77, 145 & 56, and 62 & 96 ranges ; the same patterns when insulated ; A94, and the Water Pump Pliers.
 MINIMUM Standard Packing is in boxes, clearly labelled, containing half dozen of the same pattern and size.

ADVERTISING AIDS

ELECTROS. We shall be pleased to supply on request either half-tone electros in 120 screen, as used in this catalogue, or, alternatively, line blocks of the same size.
 SHOWCARDS. Attractive showcards, 17" x 12", printed in three colours are now available, one illustrates pliers, pincers and nippers, another joiners' tools. One showcard is automatically included in each export shipment.

SPECIALS

Enquiries for tools of the types we manufacture, but adapted to suit specialized requirements, should be accompanied by a drawing or specimen of the work to be done.

ELECT
 ELVICTA
 ELECTELOY



TOOLS
 OF
 QUALITY



PW216
 PW2168
 PW2164
 PW2166

"ELECT" ENGINEERS PLIERS, sidecutting with pipe grip and two joint cutters. Polished Head, Crystal Black Handles. Polished Head, Blued Handles. All Bright. Chrome Plated.

5" 6" 7" 8" 10"



PW2163

"ELECT" ELECTRICIANS PLIERS, sidecutting with pipe grip and two joint cutters. Tested to withstand 10,000 volts. Polished Head with Black Knurled INSULATED Handles.

5" 6" 7" 8" 10"



PW2160

"ELECT" ELECTRICIANS PLIERS, sidecutting with pipe grip and two joint cutters. Tested to withstand 10,000 volts. Polished Head Amber Transparent Knurled INSULATED Handles.

6" 7" 8" 10"



PW2169

"ELECT" ELECTRICIANS PLIERS, Heavy Duty, sidecutting with pipe grip and two joint cutters. Tested to withstand 10,000 volts. Polished Head, Red P.V.C. non-slip INSULATED Handles.

6" 7" 8"



PW54
 PW548
 PW544
 PW546

"ELECT" LINEMENS PLIERS, sidecutting, Heavy Duty. Polished Head, Crystal Black Handles. Polished Head, Blued Handles. All Bright. Chrome Plated.

6" 7" 8"



PW543
 PW540

"ELECT" INSULATED LINEMENS PLIERS, sidecutting, Heavy Duty. Tested to withstand 10,000 volts. Polished Head, Black Knurled INSULATED Handles. Polished Head, Amber Transparent Knurled INSULATED Handles.

6" 7" 8"



PW549

"ELECT" INSULATED LINEMENS PLIERS, sidecutting, Heavy Duty. Tested to withstand 10,000 volts. Polished Head Red P.V.C. non-slip INSULATED Handles.

6" 7" 8"

All the above are Quality Tools—ULTRA TENSILE—Induction Hardened to cut Steel Wire up to 140 tons tensile.

ELLIOTT-LUCAS LTD.

**ELECT
ELVICTA
ELECTELOY**



**TOOLS
OF
QUALITY**



A78

"ELECT" SCOTCH GAS PLIERS, with one joint cutter, reamer and turnscrew ends. High Tensile Quality. Polished Head, Oil Black Handles.
7" 8" 9" 10"



A128

"ELECT" PIPE GRIP PLIERS, with plain handles. High Tensile Quality. Polished Head, Oil Black Handles.
8"



A791

"ELECT" SLIP JOINT PLIERS, with Knurled Handles. High Tensile Quality. Plated.
6½" 8" 10"



A611

"ELECT" THIN NOSE SLIP JOINT PLIERS, with Knurled Handles. High Tensile Quality. Plated. (A601 Bent Nose on request).
6½"



PW2316
PW2314

"ELECT" SLIP JOINT PLIERS, Heavy Duty, sidecutting with pipe grip. Chrome Plated. All Bright.
7½"



A75
A75R
A754
A754R
A756
A756R

"ELECT" MILLINERS PLIERS, sidecutting with serrated jaws. High Tensile Quality. Polished Head, Crystal Black Handles. All Bright with Ring. Chrome Plated. Chrome Plated with Ring.
4"



A58
PW588
A or PW584
A or PW586

"ELECT" LONG CHAIN NOSE or RADIO PLIERS, sidecutting with serrated jaws. Polished Head, Crystal Black Handles. Polished Head, Blued Handles. All Bright. Chrome Plated.
5½" 6½"



A or PW583
A or PW580

"ELECT" INSULATED LONG CHAIN NOSE or RADIO PLIERS. Tested to withstand 10,000 volts. Polished Head, Black Knurled INSULATED Handles. Polished Head, Amber Transparent Knurled INSULATED Handles.
5½" 6½"

"A" Quality Tools — HIGH TENSILE — For General Use.

"PW" Quality Tools — ULTRA TENSILE — Induction hardened to cut Steel Wire up to 140 tons tensile.

ELLIOTT-LUCAS LTD.

**ELECT
ELVICTA
ELECTELOY**



**TOOLS
OF
QUALITY**



A594

"ELECT" BEAD or ROSARY PLIERS, sidecutting with long round nose. High Tensile Quality. All Bright.
5½"



A151
A1514
A1516

"ELECT" SHORT CHAIN or SNIPE NOSE PLIERS, with fine serrated jaws. High Tensile Quality. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.
5½"



A106
PW1068
A or PW1064
A or PW1066

"ELECT" LONG CHAIN NOSE PLIERS, sidecutting, with serrated jaws. Polished Head, Crystal Black Handles. Polished Head, Blued Handles. All Bright Finish. Chrome Plated.
8"



A or PW1063
A or PW1060

"ELECT" INSULATED LONG CHAIN NOSE PLIERS, sidecutting with serrated jaws. Tested to withstand 10,000 volts. Polished Head, Black Knurled INSULATED Handles. Polished Head, Amber Transparent Knurled INSULATED Handles.
8"



A107
A1074
A1076

"ELECT" BENT LONG CHAIN NOSE PLIERS, sidecutting as 106 but with nose bent to an angle of 45°, approx. 6" to angle. High Tensile Quality. Also in 60° to order. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.
8"



A152
A1524
A1526

"ELECT" BENT LONG CHAIN NOSE PLIERS, serrated jaws, nose bent to an angle of 90°, approx. 6" to angle. High Tensile Quality. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.
8"



A108
A1084
A1086

"ELECT" SHORT CHAIN NOSE ASSEMBLY PLIERS, with fine serrated jaws. High Tensile Quality. Polished Head, Oil Black Handles. All Bright. Chrome Plated.
8"



A114
A1144
A1146

"ELECT" SHORT FLAT NOSE ASSEMBLY PLIERS, with fine serrated jaws. High Tensile Quality. Polished Head, Oil Black Handles. All Bright. Chrome Plated.
8"

"A" Quality Tools — HIGH TENSILE — For General Use.

"PW" Quality Tools — ULTRA TENSILE — Induction Hardened to cut Steel Wire up to 140 tons tensile.

ELLIOTT-LUCAS LTD.

ELECT
ELVICTA
ELECTELOY



TOOLS
OF
QUALITY



A109
A1094
A1096

"ELECT" LONG FLAT NOSE WEAVERS PLIERS, with plain jaws. High Tensile Quality. Polished Head, Oil Black Handles. All Bright. Chrome Plated.

7½"



A142
A1424
A1426

"ELECT" FLAT NOSE INSTRUMENT MAKERS PLIERS, with serrated jaws. High Tensile Quality. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.

4"



A161
A1614
A1616

"ELECT" FLAT NOSE PLIERS, with serrated jaws. High Tensile Quality. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.

4" 5" 6"



A147
A1474
A1476

"ELECT" ROUND NOSE PLIERS. High Tensile Quality. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.

4" 5" 6"



A94

"ELECT" FENCING TOOL, with pick and staple puller, hammer head, wire splicer, wire strainer and two joint cutters. High Tensile Quality. Polished Head, Oil Black Handles.

10½"



A100

"ELECT" HEAVY DUTY FENCING PLIERS, three joint cutters, pipe grip, wire drawer, gripper and strainer. High Tensile Quality. Polished Head, Oil Black Handles.

10"



A153

"ELECT" FENCING PLIERS, three joint cutters, burner hole, wire drawer, gripper and strainer. High Tensile Quality. Polished Head, Oil Black Handles.

8" 10" 12"



A57

"ELECT" FENCING WIRE NIPPERS, shear cutting, HEAVY DUTY. High Tensile Quality. Oil Black Finish.

7"

"A" Quality Tools — HIGH TENSILE — For General Use.

ELLIOTT-LUCAS LTD.

ELECT
ELVICTA
ELECTELOY



TOOLS
OF
QUALITY



PW1458
PW1454

"ELECTELOY" HIGH LEVERAGE DIAGONAL NIPPERS. Ultra Tensile Quality. Polished Head, Blued Handles. All Bright.

7"



PW1468
PW1464

"ELECTELOY" DIAGONAL PLASTIC-TRIMMING NIPPERS, with flush cutting edges. Ultra Tensile Quality. The Flush cutting edges on these nippers enable a close approach to be made to the material to be trimmed or cut. Polished Head, Blued Handles. All Bright.

7"



PW76
PW764
PW766

"ELECTELOY" DIAGONAL CUTTING NIPPERS, with volute spring. Ultra Tensile Quality. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.

6"



PW77
PW774
PW776

"ELECTELOY" DIAGONAL CUTTING NIPPERS. Ultra Tensile Quality. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.

4" 5" 6"



PW773
PW770

"ELECTELOY" DIAGONAL INSULATED CUTTING NIPPERS. Ultra Tensile Quality. Tested to withstand 10,000 volts. Polished Head, Black Knurled INSULATED Handles. Polished Head, Amber Transparent Knurled INSULATED Handles.

5" 6"



PW56
PW564
PW566

"ELECTELOY" HEAVY DUTY DIAGONAL CUTTING NIPPERS. Ultra Tensile Quality. Polished Head, Crystal Black Handles. All Bright. Chrome Plated.

7½"



PW563
PW560

"ELECTELOY" INSULATED HEAVY DUTY DIAGONAL CUTTING NIPPERS. Ultra Tensile Quality. Tested to withstand 10,000 volts. Polished Head, Black Knurled INSULATED Handles. Polished Head, Amber Transparent Knurled INSULATED Handles.

7½"

All the above Tools are "PW" Quality — ULTRA TENSILE. Induction hardened to cut steel wire up to 140 tons tensile — Except PW1468 & PW1464

ELLIOTT-LUCAS LTD.

**ELECT
ELVICTA
ELECTELOY**



**TOOLS
OF
QUALITY**



PW628
PW624
PW626

"ELECTELOY" END CUTTING NIPPERS. Ultra Tensile Quality. Polished Head, Blued Handles. All Bright. Chrome Plated.

4" 5" 6"



PW968
PW964
PW966

"ELECTELOY" HEAVY DUTY END CUTTING NIPPERS. Ultra Tensile Quality. Polished Head, Blued Handles. All Bright. Chrome Plated.

7"



PW35

"ELECTELOY" END CUTTING NIPPERS. Ultra Tensile Quality. Bevelled cutting edges. Polished Head, Oil Black Handles.

9"



A111

"ELECT" SHOEMAKERS CUTTING NIPPERS, with bevelled cutting edges. High Tensile Quality. Polished Head, Oil Black Handles.

7"



A37

"ELECT" FARRIERS PINCERS. High Tensile Quality. Polished Head, Oil Black Handles.

12" 14"



A38

"ELECT" FARRIERS HOOFF PARERS. High Tensile Quality. Polished Head, Oil Black Handles.

12" 14"



B80

"ELVICTA" CARPENTERS KNOB AND CLAW PINCERS, with bevelled cutting edges. Polished Head, Black Stove-enamelled Handles.

6" 7" 8" 10"



B83

"ELVICTA" CARPENTERS SHOULDERED PINCERS, with bevelled cutting edges. Polished Head, Black Stove-enamelled Handles.

6" 7" 8" 10"



B150

"ELVICTA" CARPENTERS FRENCH PATTERN PINCERS, with bevelled cutting edges. Polished Head, Black Stove-enamelled Handles.

5½" 6½" 7½" 8½" 9½" 10½" 11½"

"A" Quality Tools — HIGH TENSILE — For General Use.

"PW" Quality Tools — ULTRA TENSILE — Induction Hardened to cut Steel Wire up to 140 tons tensile.

ELLIOTT-LUCAS LTD.

**ELECT
ELVICTA
ELECTELOY**



**TOOLS
OF
QUALITY**



E406
E416

"ELECTELOY" WATER PUMP PLIERS. High Tensile Quality, Alloy Steel. Slip Joint, six adjustments. Knurled Handles. With pipe grip. Chrome Plated. With straight jaws. Chrome Plated.

9½"



E454
E464

"ELECTELOY" GROOVE-GRIP WATER PUMP PLIERS. High Tensile Quality, Alloy Steel. Five adjustments. Knurled Handles. With pipe grip. All Bright. With straight jaws. All Bright.

10"



E167

"ELECTELOY" SLIP JOINT MAGNETO WRENCH, three adjustments. High Tensile Quality, Alloy Steel. In plastic wallet. Nickel Plated Finish.

4½"



A223
A223A

"ELECT" REVOLVING PUNCH PLIERS, six punches, sizes: 5/64" 3/32" 7/64" 1/8" 5/32" 3/16" Plated. With Gauge, Plated.

8"



1950
19503

"ELECTELOY" WIRE STRIPPERS, micro-adjustment is obtained by means of side screw. High Tensile Quality. All Bright Finish. Black Knurled INSULATED Handles. Tested to withstand 10,000 volts.

6"



1926

"WHANDA-ELECT" WIRE AND CABLE STRIPPERS, with three interchangeable beds. For stripping and back stripping all wires and cables up to 9 mm. Sherardized Finish.

5½"



A1000

"ELECT" ELECTRICIANS INSULATED SCREWDRIVERS, non-inflammable, virtually unbreakable, black plastic handles. Tool steel blade, INSULATED to commencement of Taper. Tested to withstand 10,000 volts. Blade length 3½" 5½" Length overall 6" 9½"

ELLIOTT-LUCAS LTD.

Nett weights per dozen (approx.)

For nett weights of All Bright or Chrome Plated Tools, please refer to Normal Finish Equivalents

EL/554 Page	Pattern		lbs.	ozs.	Kilos
1	PW216	5"	2	12	1.3
		6"	4	12	2.2
		7"	6	2	2.8
		8"	8	8	3.9
		10"	15	0	6.8
	PW2163 PW2160	5"	3	0	1.4
		6"	5	6	2.4
		7"	6	12	3.1
	PW2169	8"	9	0	4.1
		10"	15	0	6.8
		6"	6	0	2.8
		7"	7	0	3.2
	PW54	8"	9	10	4.4
		6"	5	0	2.3
	PW543 PW540	7"	6	0	2.7
		8"	10	8	4.8
		6"	5	10	2.5
	PW549	7"	6	10	3.0
		8"	11	2	5.0
		6"	6	4	2.9
	A78	7"	6	14	3.1
		8"	11	10	5.3
2	A78	7"	6	2	2.8
		8"	8	12	3.9
		9"	10	13	4.9
		10"	12	0	5.4
		8"	9	6	4.3
	A128 A791	6 1/2"	4	12	2.2
		8"	7	0	3.2
		10"	12	0	5.4
	A611 PW2316	6 1/2"	4	8	2.0
		7 1/2"	6	0	2.7
		4"	1	6	0.6
	A75 A58	5 1/2"	2	5	1.1
		6 1/2"	3	0	1.4
		5 1/2"	2	10	1.2
	A583	6 1/2"	3	4	1.5
3	A594 A151 A106 A1063 A107	5 1/2"	2	5	1.1
		5 1/2"	2	15	1.3
		8"	4	10	2.1
		8"	4	13	2.2
		6"	4	10	2.1
	A152 A108 A114	6"	4	10	2.1
		8"	4	10	2.1
		8"	4	10	2.1
4	A109 A142 A161	8"	4	10	2.1
		4"	1	6	0.6
		4"	1	6	0.6
		5"	2	6	1.5
		6"	3	6	1.8
	A147	4"	1	6	0.6
		5"	2	1	0.9
		6"	3	3	1.5
	A94 A100	10 1/2"	21	0	9.6
		10"	22	8	10.0

EL/554 Page	Pattern		lbs.	ozs.	Kilos
4	A153	8"	8	13	4.0
		10"	14	0	6.4
		12"	21	12	9.9
	A57	7"	7	2	3.2
5	PW1458 PW1468 PW76 PW77	7"	5	8	2.6
		7"	5	8	2.6
		6"	4	2	2.3
		4"	1	12	0.8
		5"	2	13	1.3
	PW773 PW770 PW56 PW563 PW560	6"	4	1	1.8
		5"	3	0	1.4
		6"	4	6	2.0
		7 1/2"	5	12	2.6
		7 1/2"	6	4	2.9
	PW628	4"	1	12	0.8
		5"	3	0	1.4
		6"	4	12	2.2
		7"	6	14	3.1
		9"	8	11	3.7
		7"	8	8	3.9
		12"	22	8	10.0
		14"	25	8	11.6
		12"	22	10	10.3
		14"	25	10	11.9
6	A38 B80	6"	6	14	3.1
		7"	9	4	4.2
		8"	11	15	5.4
		10"	19	10	8.9
		6"	6	0	2.7
	B83	7"	8	10	3.9
		8"	11	4	5.1
		10"	18	4	8.3
		5 1/2"	3	12	1.7
		6 1/2"	6	2	2.8
7	E406, E416 E454, E464 E167 A223 A223A 1950 19503 1926 A1000	7 1/2"	8	8	3.9
		8 1/2"	12	4	5.6
		9 1/2"	16	4	7.4
		10 1/2"	20	4	9.2
		11 1/2"	23	14	10.9
	E406, E416 E454, E464 E167 A223 A223A 1950 19503 1926 A1000	9 1/2"	7	12	3.4
		10"	9	2	4.2
		4 1/2"	1	14	0.9
		8"	6	10	3.0
		8"	7	2	3.2
		6"	3	0	1.4
		6"	3	10	1.6
		5 1/2"	4	10	2.1
		3 1/2"	1	2	0.5
		5 1/2"	2	10	1.2

1 inch = 25.4 mm. 2.2 lbs. = 1 kilo.

LTD
CTEL
NIP

S. INDIA

51

and

S an

STR

Co

e

y

t